

ARCADE GAME

HIT OR MISS


BY JOEY LATIMER

YOUR
SCORE

787

HIGH
SCORE

0



Commodore 64 version of *Hit or Miss*

Hit or Miss is an arcade-style game that's kind of a mixture of Ping-Pong, pinball, and bowling. When you first type RUN, you're presented with a square grid, surrounded by four rails. The upper and lower parts of the grid are filled with little circles (point markers) and plus signs (bumpers). The top and bottom rails are marked HIT and MISS, respectively.

Press any key to start the game. A projectile character will be sent into play, heading upwards at an angle toward the HIT rail. Your paddle will appear at the center line of the grid—move it left with the "B" key, right with the "N" key.

As the projectile travels upward, it encounters some of the circles or plus signs. Circles are worth 20 points each—they disappear when you hit them and do not change your projectile's direction. Plus signs also are worth 20 points, but these will send your projectile in a new direction before evaporating.

When the projectile encounters the HIT rail, it bounces off, and starts heading back. Every time

the projectile strikes the HIT rail, you receive a bonus equal to the number of pluses and circles you've already hit. The object of the game is to keep the projectile in play, and win points by preventing it from getting past your paddle and hitting the MISS rail. If it does, the game is over. Simple.

But wait! The HIT and MISS rails frequently swap position. You'll have to be ready to change your strategy in a split-second to keep the projectile away from the deadly trap.

And that's not all. Bonus markers (asterisks) appear randomly in the grid throughout the game. These are worth 500 points each. To further stir things up, more plus-sign bumpers will start appearing before you've played too long. A nest of plus signs can really bounce you around!

PROGRAM NOTES

When you sit down to write an arcade-style game in BASIC, you have to make some hard decisions. BASIC is great for most general-purpose computing

projects, but it's slow, and this works against you when you want to write an action-oriented game.

Machine language, in the hands of a good programmer/designer, is fast enough to make almost any game scenario into a complex, delicately timed, and briskly responsive program. BASIC isn't—so the BASIC programmer has to plan an action-oriented game carefully to exploit BASIC's advantages and ensure that the game doesn't rely purely on speed for its appeal.

In designing *Hit or Miss* to run on six different computers, I took a careful look at BASIC, and reached the following conclusions. Since drawing complex graphics on the screen is not BASIC's strong suit, I knew I couldn't design an entertaining game that depended heavily on "realistic" images—spaceships, airplanes, and so on. On the other hand, one of the things BASIC does best and fastest is handle text; and letters, numbers, and graphic characters can combine to form interesting images. So I decided my game would be pro-

grammed in text mode, and that it would be based on simple, abstract shapes.

Next, I realized that since text mode provides only a very coarse array of screen positions, objects in my game would have to move in very simple ways—up, down, sideways, or diagonally. I decided on a bounce-and-ricochet theme, first because I could simulate these motions with simple movements, and second because the bouncing projectile could be formed from a single character. A paddle is a natural tool for bouncing things, and I had block characters to make it with—perfect! My theme would be single-paddle bounce-and-ricochet.

But what fun is bouncing, anyway? To provide a challenge, I had to find a reason for bouncing—some goal to be accomplished, or peril to be avoided. Eventually, I found both—but by a very indirect route. Hoping to provide a goal consistent with the scenario, I started by adding a group of single-character "markers" to the paddle and projectile display. When the projectile passed over these objects, the player would win points. Next, I hit on the idea that some of these markers also could act as "bumpers," changing the projectile's direction. The pattern of markers and bumpers added some interest to the display, as well. The variety of the whole scenario could be increased by having some bumpers and markers appear randomly as the game went on.

But then a couple of problems cropped up. At this point, the game was played across the entire screen, which was a long way to move a paddle in BASIC. The bumpers introduced so much randomness into the projectile's direction that I knew players would have problems anticipating what it would

ARCADE GAME

do, and might have trouble reaching it in time to keep it in play. So I added four rails to confine the projectile and focus the action of the game in a smaller area. Since play occurred over a smaller area, the game seemed to move faster as well—a bonus!

The screen looked good and the game played well, but there was no real way to lose, and that was boring. In the process of refining the code that printed the rails on the screen, however, I saw an opportunity to add this challenge. Since the top and bottom rails were simply strings of characters, they could be printed on the screen very quickly in position. So why not make one rail a trap, one rail a target, and then,

during the game, switch them back and forth randomly so that the player would have to respond correctly to a constantly changing situation? The HIT and MISS rails were born in that moment of inspiration. I think they really make the game unique.

If you'd like to read more about the process of designing a computer game, I'd suggest you pick up a copy of Chris Crawford's book, *The Art of Computer Game Design* (Osborne/McGraw-Hill, 1984, \$14.95). Chris is a master programmer, author of the award-winning games *Eastern Front* and *Legionnaire*, and has lots of sharp things to say about how a really good game should be put together.

Apple/Hit or Miss

```

10 TEXT:HS = 0:S$ = CHR$(32)
20 L$ = S$:FOR X = 1 TO 22:L$ = L$+S$:NEXT X
30 B$ = ":"FOR X = 2 TO 28
40 B$ = B$+CHR$(43+((X < 13)+(X > 16))*36):NEXT X
50 M$ = "//////////MISS//////////"
60 H$ = "=====HIT!===="
70 Q$ = "X":P$ = "---":NS = S$+S$+S$
80 CX = INT(RND(1)*25)+9:IF CX > 20 AND CX < 25 THEN 8
90 RX = 11:FL = 1:DR = -1:DC = -1:SC = 0
100 HC = CX:HR = RX:NP = 22:LP = 19:M = 0
110 HOME:NORMAL
120 VTAB 6:PRINT "YOUR":PRINT "SCORE":PRINT SC
130 VTAB 13:PRINT "HIGH":PRINT "SCORE":PRINT HS
140 VTAB 11:PRINT TAB(12);"PRESS ANY KEY TO BEGIN."
150 INVERSE:FOR X = 2 TO 20:VTAB X:HTAB 8:PRINT S$;
160 IF X > 9 AND X < 13 THEN 180
170 NORMAL:PRINT B$;:INVERSE
180 HTAB 37:PRINT S$:NEXT X:NORMAL
190 VTAB 23:PRINT TAB(17);"PADDLE KEYS:"
200 PRINT TAB(13);"B = LEFT N = RIGHT";
210 GOSUB 1030
220 K = PEEK(-16384):IF K < 128 THEN 220
230 POKE -16368,0:VTAB 11:HTAB 12:PRINT L$
240 IF RND(1) > .05 THEN 290
250 CH = 42:IF M > 300 AND RND(1) > .5 THEN CH = 43
260 XR = INT(RND(1)*16)+3
270 IF XR > 9 AND XR < 13 THEN 260
280 VTAB XR:HTAB INT(RND(1)*21)+10:PRINT CHR$(CH)
290 CX = CX+DC:RX = RX+DR
300 GOSUB 3000
310 IF PE = 43 OR PE = 79 THEN SC = SC+20:M = M+1
320 IF PE = 42 THEN SC = SC+500:C = 5:GOSUB 4000
330 GOSUB 2000:IF PE = 43 THEN DC = -DC:GOTO 440
340 IF CX > 8 AND CX < 37 THEN 370
350 DC = -DC:C = 3:GOSUB 4000
360 CX = CX+DC:GOSUB 3000
370 IF RX > 1 AND RX < 21 AND PE+128 <> 45 THEN 440
380 DR = -DR:C = 3:GOSUB 4000
390 IF RX < 2 THEN RX = 3:IF FL = 0 THEN 550
400 IF RX > 20 THEN RX = 19:IF FL THEN 550
410 IF PE+128 = 45 THEN RX = RX+2*DR:GOTO 440
420 SC = SC+M:GOSUB 2000

```

```

430 IF RND(0) > .7 THEN GOSUB 1000
440 VTAB HR:HTAB HC:PRINT SS;
450 VTAB RX:HTAB CX:INVERSE:PRINT Q$;:NORMAL
460 HC = CX:HR = RX:IF RX = 11 THEN 240
470 K = PEEK(-16384)-128
480 NP = NP+((K = 78)-(K = 66))*2:POKE -16368,0
490 IF LP = NP THEN 240
500 IF NP < 9 THEN NP = 9
510 IF NP > 34 THEN NP = 34
520 VTAB 11:HTAB LP:PRINT NS
530 VTAB 11:HTAB NP:INVERSE:PRINT P$:NORMAL
540 LP = NP:GOTO 240
550 FOR DE = 1 TO 45:C = 3:GOSUB 4000
560 VTAB HR:HTAB HC:INVERSE
570 PRINT CHR$(INT(RND(1)*2)+42)
580 NEXT DE:NORMAL:VTAB 23:SPEED= 175
590 FOR DE = 1 TO 10:PRINT:NEXT DE
600 SPEED= 255:PRINT "SORRY, YOU MISSED."
610 PRINT:PRINT "YOUR SCORE WAS ";SC;" POINTS."
620 IF SC > HS THEN HS = SC:PRINT:PRINT "A NEW RECORD!
"
630 PRINT:PRINT "THE HIGH SCORE IS ";HS;" POINTS."
640 PRINT:PRINT:PRINT:PRINT " PLEASE SELECT:":PRINT
650 PRINT "<R>PLAY":PRINT "<Q>UIT"
660 PRINT:PRINT:PRINT:PRINT
670 K = PEEK(-16384):IF K = 81 THEN END
680 IF K = 82 THEN 80
690 POKE -16368,0:GOTO 670
1000 PRINT CHR$(7);:FL = NOT FL:IF FL THEN 1030
1010 VTAB 1:HTAB 8:INVERSE:PRINT M$
1020 VTAB 21:HTAB 8:PRINT H$:NORMAL:RETURN
1030 VTAB 1:HTAB 8:INVERSE:PRINT H$
1040 VTAB 21:HTAB 8:PRINT M$:NORMAL:RETURN
2000 VTAB 9:HTAB 1:PRINT SC:RETURN
3000 PE = SCR(CX-1,2*(RX-1))+16*SCR(CX-1,2*(RX-1)+1)
3010 PE = PE-128:RETURN
4000 FOR S = 1 TO C:A = PEEK(-16336):NEXT S:RETURN


```

Atari/Hit or Miss

```

10 DIM S$(1),L$(28),B$(28),C$(4),M$(30),H$(30),Q$(1),P$(3),N$(3)
20 OPEN #1,4,0,"K":GRAPHICS 0:POKE 82,1:POKE 752,1
30 SETCOLOR 1,0,0:SETCOLOR 2,8,10:SETCOLOR 4,0,10
40 HS=0:S$=CHR$(32):L$=S$:L$(28)=L$:L$(2)=L$
50 B$=CHR$(20):B$(28)=B$:B$(2)=B$
60 C$=CHR$(19):C$(4)=C$:C$(2)=C$:B$(13,16)=C$
70 M$="//////////MISS//////////"
80 H$="=====HIT!===="
90 FOR X=1 TO 30:M$(X,X)=CHR$(ASC(M$(X))+128)
100 H$(X,X)=CHR$(ASC(H$(X))+128):NEXT X
110 Q$="X":N$=L$
120 P$=CHR$(146):P$(2)=P$:P$(3)=P$
130 CX=INT(RND(1)*25)+9:IF CX>20 AND CX<25 THEN 130
140 FL=1:DR=-1:DC=-1:SC=0:RX=11:HC=CX:HR=RX:NP=22:HP=19:M=0
150 PRINT CHR$(125):POSITION 1,6:PRINT "YOUR":PRINT "SCORE:":PRINT SC
160 POSITION 1,13:PRINT "HIGH":PRINT "SCORE:"
170 PRINT :PRINT HS
180 FOR X=2 TO 20:POSITION 8,X:PRINT CHR$(160);
190 IF X>9 AND X<13 THEN PRINT L$;:GOTO 210
200 PRINT B$;
210 PRINT CHR$(160):NEXT X
220 POSITION 12,11:PRINT "PRESS ANY KEY TO BEGIN."
230 POSITION 9,23:PRINT "PADDLE KEYS: B=LEFT N=RIGHT";
240 GOSUB 1030
250 GET #1,K
260 POSITION 9,11:PRINT L$
270 IF RND(0)>.05 THEN 310
280 CH=42:IF M>300 AND RND(1)>.5 THEN CH=19
290 XR=INT(RND(0)*16)+3:XC=INT(RND(0)*21)+10:IF XR>9 AND XR<13 THEN 290
300 POSITION XC,XR:PRINT CHR$(CH);
310 CX=CX+DC:RX=RX+DR
320 LOCATE CX,RX,PE:POSITION CX,RX:PUT #6,PE
330 IF PE=19 OR PE=20 THEN SC=SC+20:M=M+1

```



```

340 IF PE=42 THEN SC=SC+500:C=15:GOSUB 3000
350 GOSUB 2000:IF PE=19 THEN DC=-DC:GOTO 460
360 IF CX>8 AND CX<37 THEN 390
370 DC=-DC:C=100:GOSUB 3000:CX=CX+DC
380 LOCATE CX,RX,PE:POSITION CX,RX:PUT #6,PE
390 IF RX>1 AND RX<21 AND PE<>146 THEN 460
400 DR=-DR:C=200:GOSUB 3000
410 IF RX<2 THEN RX=3:IF NOT FL THEN 570
420 IF RX>20 THEN RX=19:IF FL THEN 570
430 IF PE=146 THEN RX=RX+2*DR:GOTO 460
440 SC=SC+M:GOSUB 2000
450 IF RND(0)>0.7 THEN GOSUB 1000
460 POSITION HC,HR:PRINT $S;
470 POSITION CX,RX:PRINT Q$;
480 HC=CX:HR=RX:IF RX=11 THEN 270
490 POKE 555,1:POKE 753,0:K=PEEK(764):POKE 764,255:SOUND
    0,0,0,0
500 NP=NP+2*((K=35)-(K=21))
510 IF HP=NP THEN 270
520 IF NP<9 THEN NP=9
530 IF NP>34 THEN NP=34
540 POSITION HP,11:PRINT NS;
550 POSITION NP,11:PRINT PS;
560 HP=NP:GOTO 270
570 FOR DE=1 TO 25:SOUND 0,INT(RND(0)*255),10,8
580 POSITION HC,HR:PRINT CHR$(INT(RND(0)*4)+42):NEXT DE:
    SOUND 0,0,0,0
590 FOR DE=1 TO 30:PRINT :NEXT DE
600 PRINT "SORRY, YOU MISSED."
610 PRINT :PRINT "YOUR SCORE WAS ";SC;" POINTS."
620 IF SC>HS THEN HS=SC:PRINT :PRINT "A NEW RECORD!"
630 PRINT :PRINT "THE HIGH SCORE IS ";HS;" POINTS."
640 PRINT :PRINT :PRINT " PLEASE SELECT:":PRINT
650 PRINT "<R>REPLAY"
660 PRINT "<Q>QUIT"
670 PRINT :PRINT :PRINT :PRINT
680 GET #1,K:IF K=81 THEN POKE 752,0:POKE 82,2:END
690 IF K<>82 THEN 680
700 GOTO 130
1000 SOUND 0,100,10,10:FL= NOT FL:IF FL THEN 1030
1010 POSITION 8,1:PRINT MS
1020 POSITION 8,21:PRINT HS:RETURN
1030 POSITION 8,1:PRINT HS
1040 POSITION 8,21:PRINT MS:RETURN
2000 POSITION 1,9:PRINT SC:RETURN
3000 SOUND 0,C,10,10:FOR S=1 TO 10:NEXT S:RETURN

```

Commodore 64/Hit or Miss

```

10 SN=54272:SB=1024:CB=55296:HS=0:SD=0:R=214
20 POKE 650,128:POKE 53281,0:POKE 53280,0
30 FOR X=SN TO SN+24:POKE X,0:NEXT X
40 POKE SN+5,128:POKE SN+6,128:POKE SN+24,15
50 S$=CHR$(32):L$=S$::FOR X=1 TO 22:L$=L$+S$::NEXT X
60 B$=CHR$(113)::FOR X=2 TO 28
70 B$=B$+CHR$(113-10*(X>12 AND X<17)):NEXT X
80 M$=CHR$(18)+"//////////MISS//////////"
90 H$=CHR$(18)+"=====HIT!====="
100 Q$=CHR$(5)+CHR$(118):E$=CHR$(144)+S$
110 P$=CHR$(18)+CHR$(156)+"---":N$=CHR$(144)+S$+S$+S$
120 CX=INT(RND(1)*25)+9:IF CX>20 AND CX<25 THEN 120
130 RX=11:FL=-1:DR=-1:DC=-1:SC=0
140 HC=CX:HR=RX:NP=22:LP=19:M=0
150 PRINT CHR$(147):POKE SN,198:POKE SN+1,45
160 POKE R,5:PRINT:PRINT CHR$(5); " YOUR":PRINT " SCORE:":
    :PRINT:PRINT SC
170 POKE R,12:PRINT:PRINT " HIGH":PRINT " SCORE:"
180 PRINT:PRINT CHR$(5);HS
190 POKE R,10:PRINT:PRINT TAB(12);"PRESS ANY KEY TO BEGIN.";CHR$(19)
200 K1=INT(RND(1)*3)+152:K2=INT(RND(1)*7)+149:K0=K1
210 PRINT:FOR X=1 TO 19:PRINT TAB(8);CHR$(18);CHR$(156);
    S$;
220 IF X<9 OR X>11 THEN PRINT CHR$(146);CHR$(K0);B$;
230 PRINT TAB(37);CHR$(18);CHR$(156);S$
240 IF X=11 THEN K0=K2
250 NEXT X

```

```

260 POKE R,22:PRINT:PRINT TAB(18);"PADDLE KEYS:"
270 PRINT TAB(13);"B = LEFT      N = RIGHT";CHR$(19)
280 GOSUB 1030
290 GET K$:IF K$="" THEN 290
300 POKE R,10:PRINT:PRINT TAB(12);L$
310 IF RND(0)>0.05 THEN 360
320 CH=42:IF M>300 AND RND(1)>0.5 THEN CH=123
330 XR=INT(RND(1)*16)+3
340 IF XR>9 AND XR<13 THEN 330
350 POKE R,XR-1:PRINT:PRINT TAB(INT(RND(1)*21)+10);CHR$(5);CHR$(CH)
360 CX=CX+DC:RX=RX+DR
370 PE=PEEK(SB+CX+RX*40)
380 IF PE=81 OR PE=91 THEN SC=SC+20:M=M+1
390 IF PE=42 THEN SC=SC+500:SD=33:POKE SN+4,SD
400 GOSUB 2000:IF PE=91 THEN DC=-DC:GOTO 520
410 IF CX>8 AND CX<37 THEN 440
420 DC=-DC:SD=129:POKE SN+4,SD:DX=CX+DC
430 PE=PEEK(SB+CX+RX*40)
440 IF RX>1 AND RX<21 AND PE<>173 THEN 520
450 DR=-DR:SD=129:POKE SN+4,SD
460 IF RX<2 THEN RX=3:IF NOT FL THEN 620
470 IF RX>20 THEN RX=19:IF FL THEN 620
480 IF PE=173 THEN RX=RX+2*DR:GOTO 520
490 IF RX=11 THEN PRINT PE:STOP
500 SC=SC+M:GOSUB 2000
510 IF RND(1)>0.7 THEN GOSUB 1000
520 POKE R,HR-1:PRINT:PRINT TAB(HC);S$;
530 POKE R,RX-1:PRINT:PRINT TAB(CX);Q$;
540 HC=CX:HR=RX:IF RX=11 THEN 310
550 GET K$:NP=NP+2*((K$="B")-(K$="N")):IF SD THEN POKE S
    N+4,SD-1:SD=0
560 IF LP=NP THEN 310
570 IF NP<9 THEN NP=9
580 IF NP>34 THEN NP=34
590 POKE R,10:PRINT:PRINT TAB(LP);NS
600 POKE R,10:PRINT:PRINT TAB(NP);PS
610 LP=NP:GOTO 310
620 POKE SN+4,33:FOR DE=1 TO 25
630 POKE R,HR-1:PRINT:PRINT TAB(HC);CHR$(INT(RND(1)*2)+1
    18)
640 POKE SN,38:POKE SN+1,INT(RND(1)*69)+1:NEXT DE
650 POKE SN+4,0
660 POKE R,23:PRINT
670 FOR DE=1 TO 10:PRINT CHR$(13):NEXT DE
680 PRINT CHR$(158); "SORRY, YOU MISSED."
690 PRINT:PRINT "YOUR SCORE WAS ";SC;" POINTS."
700 IF SC>HS THEN HS=SC:PRINT:PRINT CHR$(159); "A NEW RECORD!";CHR$(158)
710 PRINT:PRINT "THE HIGH SCORE IS ";HS;" POINTS."
720 PRINT:PRINT:PRINT:PRINT CHR$(150); " PLEASE SELECT:":
    PRINT
730 PRINT "<R>REPLAY"
740 PRINT "<Q>QUIT"
750 PRINT:PRINT:PRINT:PRINT
760 GET K$:IF K$="Q" THEN END
770 IF K$<>"R" THEN 760
780 GOTO 120
1000 POKE SN+4,17:FL=NOT FL:IF FL THEN 1030
1010 POKE R,1:PRINT:PRINT CHR$(19);CHR$(28);TAB(48);MS
1020 POKE R,20:PRINT:PRINT CHR$(158);TAB(8);HS:RETURN
1030 POKE R,1:PRINT:PRINT CHR$(19);CHR$(158);TAB(48);HS
1040 POKE R,20:PRINT:PRINT CHR$(28);TAB(8);MS:RETURN
2000 POKE R,8:PRINT:PRINT CHR$(5);SC:RETURN

```

IBM PCs/Hit or Miss

```

10 CLS:KEY OFF:SCREEN 0,1:WIDTH 40:LOCATE ,0
20 HS=0:VS=CHR$(176):SS=CHR$(32)
30 L$=S$::FOR X=1 TO 22:L$=L$+S$::NEXT X
40 FOR X=1 TO 28
50 B$=B$+CHR$(43-((X<13)+(X>16))*36)::NEXT X
60 M$="//////////MISS//////////"
70 H$="=====HIT!====="
80 Q$=CHR$(127):P$=STRING$(4,219):N$=STRING$(4,32)
90 CX=INT(RND*25)+9:IF CX>20 AND CX<25 THEN 90
100 FL=-1:DR=-1:DC=-1:SC=0:RX=11

```

ARCADE GAME

```

110 HC=CX:HR=RX:NP=21:LP=19:M=0
120 CLS
130 COLOR 3:LOCATE 6,1:PRINT "YOUR":PRINT "SCORE"::PRI
NT:PRINT SC
140 COLOR 10:LOCATE 13,1:PRINT "HIGH":PRINT "SCORE"::P
RINT:PRINT HS
150 KO=3:FOR X=2 TO 20:LOCATE X,8:COLOR 5:PRINT V$;
160 IF X>9 AND X<13 THEN PRINT SPC(28);V$:GOTO 180
170 COLOR KO:PRINT B$;:COLOR 5:PRINT V$
180 IF X=12 THEN KO=2
190 NEXT X
200 COLOR 15:LOCATE 11,12:PRINT "PRESS ANY KEY TO BEGI
N."
210 COLOR 7:LOCATE 23,17:PRINT "PADDLE KEYS:"
220 PRINT TAB(12);B = LEFT N = RIGHT";
230 GOSUB 1030
240 K$=INKEY$:IF K$="" THEN 240
250 LOCATE 11,12:PRINT L$
260 IF RND>.05 THEN 310
270 CH=42:IF M>300 AND RND>.5 THEN CH=43
280 XR=INT(RND*16)+3
290 IF XR>9 AND XR<13 THEN 280
300 LOCATE XR,INT(RND*21)+10:COLOR 7:PRINT CHR$(CH);
310 CX=CX+DC:RX=RX+DR
320 PE=SCREEN(RX,CX,0)
330 IF PE=43 OR PE=79 THEN SC=SC+20:M=M+1:GOSUB 2000
340 IF PE=42 THEN SOUND 550,1:SC=SC+500:GOSUB 2000
350 IF PE=43 THEN DC=-DC:GOTO 460
360 IF CX>8 AND CX<37 THEN 390
370 DC=-DC:SOUND 100,5
380 CX=CX+DC:PE=SCREEN(RX,CX,0)
390 IF RX>1 AND RX<21 AND PE<>219 THEN 460
400 DR=-DR:SOUND 90,5
410 IF RX<2 THEN RX=2:IF NOT FL THEN 570
420 IF RX>20 THEN RX=20:IF FL THEN 570
430 IF PE=219 THEN RX=RX+2*DR:GOTO 460
440 SC=SC+M:GOSUB 2000
450 IF RND>.7 THEN GOSUB 1000
460 LOCATE HR,HC:PRINT S$;
470 LOCATE RX,CX:COLOR 15:PRINT Q$:COLOR 7
480 HC=CX:HR=RX:IF RX=11 THEN 260
490 K$=INKEY$
500 NP=NP+((K$="B")-(K$="N"))*2
510 IF LP=NP THEN 260
520 IF NP<9 THEN NP=9
530 IF NP>33 THEN NP=33
540 LOCATE 11,LP:PRINT N$:LP=NP
550 LOCATE 11,NP:PRINT P$
560 GOTO 260
570 FOR DE=1 TO 45:SOUND 300,.2:SOUND 800,.4
580 LOCATE HR,HC:PRINT CHR$(INT(RND*2)+42)
590 NEXT DE:LOCATE 23,1
600 FOR DE=1 TO 10:FOR DL=1 TO 20:NEXT DL
610 PRINT:NEXT DE:PRINT "SORRY, YOU MISSED."
620 PRINT:PRINT "YOUR SCORE WAS";SC;"POINTS."
630 IF SC>HS THEN HS=SC:PRINT:PRINT "A NEW RECORD!"
640 PRINT:PRINT "THE HIGH SCORE IS";HS;"POINTS."
650 PRINT:PRINT:PRINT " PLEASE SELECT"::PRINT
660 PRINT "<R>EPLAY":PRINT "<Q>UIT"
670 PRINT:PRINT:PRINT
680 K$=INKEY$:IF K$="Q" THEN END
690 IF K$="R" THEN 90 ELSE 680
700 SOUND 400,2:SOUND 800,3:FL=NOT FL:IF FL THEN 1030
710 LOCATE 1,8:COLOR 5:PRINT V$;:COLOR 4:PRINT M$;:CO
LOR 5:PRINT V$
720 LOCATE 21,8:PRINT V$;:COLOR 14:PRINT H$;:COLOR 5:
PRINT V$:RETURN
730 LOCATE 1,8:COLOR 5:PRINT V$;:COLOR 14:PRINT H$;:C
OLOR 5:PRINT V$
740 LOCATE 21,8:PRINT V$;:COLOR 4:PRINT M$;:COLOR 5:P
RINT V$:RETURN
750 COLOR 3:LOCATE 9,1:PRINT SC;:RETURN

```

TRS-80 Color Computer/Hit or Miss

```

10 CLEAR 1000:HS=0:S$=CHR$(32)
20 L$=S$:$:FOR X=1 TO 21:L$=L$+S$:$NEXT X

```

```


30 B$="0":FOR X=2 TO 22
40 B$=B$+CHR$(43-((X<10)+(X>13))*36):NEXT X
50 A$=CHR$(159):FOR X=1 TO 8:A$=A$+CHR$(159):NEXT X
60 H$=CHR$(255)+A$+CHR$(104)+CHR$(105)+CHR$(116)+CHR$(127)+A$+CHR$(255)
70 A$=CHR$(191):FOR X=1 TO 8:A$=A$+CHR$(191):NEXT X
80 M$=CHR$(255)+A$+CHR$(109)+CHR$(105)+CHR$(115)+CHR$(115)+A$+CHR$(255)
90 Q$="X"
100 P$=CHR$(175)+CHR$(175)+CHR$(175)+CHR$(175):N$=S$+$
$+$+$:$
110 CX=RND(20)+8:IF CX>16 AND CX<20 THEN 110
120 RX=8:FL=-1:DR=-1:DC=-1:SC=0
130 HC=CX:HR=RX:NP=17:HP=16:M=0
140 CLS
150 PRINT@64,"YOUR":PRINT "SCORE":PRINT:PRINT SC
160 PRINT@288,"HIGH":PRINT "SCORE":PRINT:PRINT HS
170 PRINT@232,"PRESS ANY KEY TO BEGIN";
180 FOR X=1 TO 13
190 PRINT@7+X*32,CHR$(255);
200 IF X>5 AND X<9 THEN 220
210 PRINT B$;
220 PRINT@30+X*32,CHR$(255)
230 NEXT X
240 PRINT@490,"B=LEFT N=RIGHT";
250 GOSUB 1030
260 K$=INKEY$:IF K$="" THEN 260
270 PRINT@232,L$;
280 IF RND(10)>.5 THEN 320
290 CH=42:IF M>150 AND RND(10)>5 THEN CH=43
300 XR=RND(13):IF XR>5 AND XR<9 THEN 300
310 XC=RND(22)+7:PRINT@XC+XR*32,CHR$(CH);
320 CX=CX+DC:RX=RX+DR:PE=PEEK(1024+CX+RX*32)
330 IF PE=107 OR PE=79 THEN SC=SC+20:M=M+1:PRINT@160,S
C;
340 IF PE=106 THEN SC=SC+500:PRINT@160,SC;:SOUND 50,1
350 IF PE=107 THEN DC=-DC:GOTO 460
360 IF CX>8 AND CX<30 THEN 390
370 DC=-DC:CX=CX+DC:SOUND 200,1
380 PE=PEEK(1024+XC+XR*32)
390 IF RX>0 AND RX<14 AND PE<>175 THEN 460
400 DR=-DR:SOUND 244,1
410 IF RX<1 THEN RX=2:IF NOT FL THEN 590
420 IF RX>13 THEN RX=12:IF FL THEN 590
430 IF PE=175 THEN RX=RX+2*DR:GOTO 460
440 SC=SC+M:PRINT@160,SC;
450 IF RND(10)>7 THEN GOSUB 1000
460 PRINT@HC+HR*32,S$;
470 PRINT@CX+RX*32,Q$;
480 HC=CX:HR=RX:IF RX=7 THEN 280
490 REM --TO USE JOYSTICK, REMOVE REM FROM LINE 490--
490 REM JO=JOYSTK(0)
499 REM --TO USE JOYSTICK, REMOVE REM FROM LINE 500--
500 REM NP=NP-3*((J0>20)-(J0<43))
510 K$=INKEY$
520 NP=NP+3*((K$="B")-(K$="N"))
530 IF NP=HP THEN 280
540 IF NP<8 THEN NP=8
550 IF NP>26 THEN NP=26
560 PRINT@HP+7*32,N$;
570 PRINT@NP+7*32,P$;:HP=NP
580 GOTO 280
590 FOR DE=1 TO 25:SOUND RND(244),1:PRINT@HC+HR*32,CHR
$(RND(110)+128);:NEXT DE
600 PRINT@478,"":FOR L=1 TO 16:PRINT:FOR DE=1 TO 35:N
EXT DE:NEXT L
610 PRINT "SORRY, YOU MISSED."
620 PRINT:PRINT "YOUR SCORE WAS";SC;"POINTS."
630 IF SC>HS THEN HS=SC:PRINT:PRINT "A NEW RECORD!"
640 PRINT:PRINT "THE HIGH SCORE IS";HS;"POINTS."
650 PRINT:PRINT:PRINT " PLEASE SELECT"::PRINT
660 PRINT "<R>EPLAY"
670 PRINT "<Q>UIT"
680 PRINT
690 K$=INKEY$:IF K$="Q" THEN END
700 IF K$="R" THEN 110 ELSE 690
710 SOUND 2,2:FL=NOT FL:IF FL THEN 1030

```

1010
1020
1030
1040
TR
10 C
20 L
30 B
40 B
50 M
60 H
70 B
80 C
90 R
100
110
120
130
140
150
0TO
160
170
180
190
200
210
220
230
240
250
260
270
280
290
300
310
320
330
340
350
360
370
380
390
400
410
420
430
440
450
460
470
480
490
500
510
520
530
540
550
560
570
580
590
600
610
620
630
640
650
660
670
680
690
700
710
720
730
740
750
760
770
780
790
800
810
820
830
840
850
860
870
880
890
900
910
920
930
940
950
960
970
980
990
1000
1010
1020
1030
1040

PGRAPH!

BY MARK GILMAN



ATARI PLAYER/ MISSILE GRAPHICS MADE EASY

```

1010 PRINT@7,M$;
1020 PRINT@455,H$;:RETURN
1030 PRINT@7,H$;
1040 PRINT@455,M$;:RETURN

TRS-80 Model III Hit or Miss

10 CLEAR 1000:CLS:HS=0:S$=CHR$(32):V$=CHR$(191)
20 L$=S$:FOR X=1 TO 22:L$=L$+S$:NEXT X
30 B$=V$:FOR X=1 TO 28
40 B$=B$+CHR$(43-((X<13)+(X>16))*68):NEXT X
50 M$=V$+"//////////MISS//////////"+V$
60 H$=V$+"=====HIT=====+"+V$
70 B$=B$+V$:Q$="X":P$=STRING$(4,179):N$=STRING$(4,32)
80 CX=RND(25)+17:IF CX>20 AND CX<25 THEN 80
90 RX=8:FL=-1:DR=-1:DC=-1:SC=0
100 HC=CX:HR=RX:NP=28:LP=20:M=0
110 CLS
120 PRINT@128,"YOUR":PRINT "SCORE":PRINT SC
130 PRINT@576,"HIGH":PRINT "SCORE":PRINT HS
140 FOR X=1 TO 13
150 IF X>5 AND X<9 THEN PRINT@16+X*64,V$;TAB(45);V$;:G
O TO 170
160 PRINT@16+64*X,B$;
170 NEXT X:PRINT@468,"PRESS ANY KEY TO BEGIN.";
180 PRINT@435,"PADDLE KEYS:";
190 PRINT@561,"B=LEFT N=RIGHT";
200 GOSUB 1020
210 K$=INKEY$:IF K$="" THEN 210
220 PRINT@468,L$;
230 IF RND(20)>1 THEN 280
240 CH=42:IF M>200 AND RND(10)>5 THEN CH=19
250 XR=RND(12)+1
260 IF XR>5 AND XR<9 THEN 250
270 PRINT@RND(27)+17+XR*64,CHR$(CH);
280 CX=CX+DC:RX=RX+DR
290 PE=PEEK(15360+CX+RX*64)
300 IF PE=43 OR PE=111 THEN SC=SC+20:M=M+1:GOSUB 2000
310 IF PE=42 THEN SC=SC+500:GOSUB 2000
320 IF PE=43 THEN DC=-DC:GOTO 430
330 IF CX>16 AND CX<44 THEN 360
340 DC=-DC:CX=CX+DC
350 PE=PEEK(15360+CX+RX*64)
360 IF RX>0 AND RX<14 AND PE<>179 THEN 430
370 DR=-DR
380 IF RX<1 THEN RX=1:IF NOT FL THEN 540
390 IF RX>13 THEN RX=13:IF FL THEN 540
400 IF PE=179 THEN RX=RX+2*DR:GOTO 430
410 SC=SC+M:GOSUB 2000
420 IF RND(10)>7 THEN GOSUB 1000
430 PRINT@HC+HR*64,S$;
440 PRINT@CX+RX*64,Q$;
450 HC=CX:HR=RX:IF RX=7 THEN 230
460 K$=INKEY$
470 NP=NP+((K$="B")-(K$="N"))*2
480 IF LP=NP THEN 230
490 IF NP<17 THEN NP=17
500 IF NP>41 THEN NP=41
510 PRINT@LP+448,N$;
520 PRINT@NP+448,P$;:LP=NP
530 GOTO 230
540 FOR DE=1 TO 50:PRINT@HC+HR*64,CHR$(RND(3)+32);
550 NEXT DE:PRINT@960,""
560 FOR L=1 TO 16:PRINT:FOR DE=1 TO 5:NEXT DE:NEXT L
570 PRINT "SORRY, YOU MISSED."
580 PRINT:PRINT "YOUR SCORE WAS";SC;"POINTS."
590 IF SC>HS THEN HS=SC:PRINT "A NEW RECORD!"
600 PRINT "THE HIGH SCORE IS";HS;"POINTS."
610 PRINT:PRINT:PRINT "PLEASE SELECT":PRINT
620 PRINT "<R>EPLAY":PRINT "<Q>QUIT":PRINT
630 K$=INKEY$:IF K$="Q" THEN END
640 IF K$="R" THEN 80 ELSE 630
1000 FL=NOT FL:IF FL THEN 1020
1010 PRINT@16,M$;:PRINT@912,H$;:RETURN
1020 PRINT@16,H$;:PRINT@912,M$;:RETURN
2000 PRINT@320,SC;:RETURN

```

When the Statue of Liberty was a "young lady" in her 20s, she welcomed all four of my grandparents to America. She is 98 now—wind and time have exacted their toll. On July 4, 1984, her famous torch was lowered as part of a major overhaul. The general public will have to wait until July 4 of next year to see the torch raised aloft again. But you don't have to wait that long. With your joystick and our demonstration program, *Miss Liberty*, you can set the torch on high well ahead of schedule!

This snazzy special effect is produced with one of the Atari's "players" (referred to as "sprites" on other systems; see Dr. Kurson's Klinic, p. 59) and *PGraph!*, a utility package that makes Atari player/missile graphics easy to use. Player/missile (or "P/M") graphics may be one of the Atari's least understood, but most powerful, features.

Players are graphic objects that are completely independent of everything else on the screen, and "missiles" are narrow players, useful to represent things like bullets. Both can be superimposed on any screen and moved around rapidly without affecting what's displayed underneath. Special sensors detect when they collide with each other or with parts of the background. "Priorities" can be set so that players or missiles seem to move in front of, or behind, other things on the screen. For these reasons, P/M graphics are used heavily by Atari game, graphics, and animation programmers.

Unfortunately, Atari BASIC provides no direct way of using players or missiles. Let's take a closer look at how P/M graphics work.

BIT-MAPPING

A simple way to think of a player is to visualize a grid, such as a narrow strip of graph paper, eight blocks wide by some number of blocks high. By coloring in some of the blocks on this grid and leaving others blank, you can make a picture: a spaceship, a happy face, etc.